

Version number 7

Reviewed on 02/01/2016

1 Identification

· Product identifier

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: CANDULOR AG **Boulevard Lilienthal 8** CH-8152 Glattpark (Opfikon) SWITZERLAND

Tel. +41 (0) 44 805 9000 Fax +41 (0) 44 805 9090

- · Information department: Regulatory Affairs info@candulor.ch
- Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)





- · Other hazards
- Mechanical processing:
- Avoid breathing sanding dust /swarf. · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

CA

Printing date 07/01/2016

Version number 7

Reviewed on 02/01/2016

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

(Contd. of page 1)

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• Description: Ceramic denture teeth

· Dangerous components: Void

4 First aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation:
- Grinding dust: Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. Mechanical effects only.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

• Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

For use in dentistry only.

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/01/2016

Version number 7

Reviewed on 02/01/2016

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

(Contd. of page 2)

Only adequately trained personnel should handle this product. • *Information about protection against explosions and fires:* No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace: Not required.

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

• Breathing equipment: Use respiratory protective device against the effects of dust.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Solid	
Color:	According to product specification	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/01/2016

Version number 7

Reviewed on 02/01/2016

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

		(Contd. of page 3)
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid No further relevant information available.*
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information: No further relevant information available.
- · Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 5)

Printing date 07/01/2016

Version number 7

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

(Contd. of page 4)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, TDG, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT, TDG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, TDG, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT, TDG, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport
	(ADR, IMDG, IATA).

(Contd. on page 6)

Printing date 07/01/2016

Version number 7

Reviewed on 02/01/2016

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

(Contd. of page 5)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 07/01/2016 / 6

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

Printing date 07/01/2016

Version number 7

Reviewed on 02/01/2016

Trade name: PHYSIOSET CT, CONDYLOFORM CT, BONARTIC CT

(Contd. of page 6)

CA

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health * * Data compared to the previous version altered.